

# SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Produc Name : PETRAX PTS 2201 SDS¹ No. : MOH 24701

Description : Passenger Car Motor Oil Additive

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified Uses : Industrial uses

Uses Advised Against : See chapter 16 for a general overview

**Details of the Supplier of the Safety Data Sheet**Supplier (Manufacturer) : PETRAX

Telephone No. : +971 508614175

**Information Providing Authority about Safety Data Sheet** 

Email Address :

1.4. Emergency Telephone Number

Company Emergency :

## **SECTION 2: Hazards Identification**

#### Classification of the Substance or Mixture

#### Classification According to Regulation (EC) No. 1272/2008

Serious eye damage / eye irritation 1; H318.

Skin corrosion / irritation 2; H315.

Hazardous to the aquatic environment, long-term Hazard 3; H412.

## **Label Elements**

#### Labeling According to Regulation (EC) No. 1272/2008 [CLP<sup>2</sup>/GHS<sup>3</sup>]

Product Identifier

Hazard Component for Labeling : Sulfur-phosphorous-dioctyl alkyl zinc salt

Hazard Pictograms

Signal Word : Danger

Hazard Statements : **H318** Causes serious eye damage

**H315** Causes skin irritation

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements General : **P102** Keep out of reach of children

Prevention : **P280** Wear protective gloves / protective clothing

/ eye protection / face protection

Response : P302 + P352 If on skin: Wash with plenty of

water

**P310** Immediately call a poison center / doctor **P305 + P351 + P338** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.



Storage :

Disposal : **P501** Dispose of contents / container in

accordance with local / regional / national/

international regulation.

Supplemental Hazard Information (EU) Statements : None

# Special Rules for Supplemental Label Elements for Certain Mixtures

None

# **Additional Labeling**

Not Applicable

## **Other Hazards**

None

## . Skin Contact

Causes skin irritation.

## . Eye Contact

Causes serious eye damage.

#### . Ingestion

Ingestion of any chemical may be harmful to health.

#### Inhalation

No data available.

# **Long Term Effects**

No data available

## **Adverse Environmental Effects**

None

#### **Additional Information**

None

# **SECTION 3: Composition/Information on Ingredients**

## **Substances**

Not available

## **Mixtures**

Name	EINECS No.	CAS No.	Content (%)	Classification CLP	
Sulfur-phosphorous- dioctyl alkyl zinc salt	272-028-3	68649-42-3	≥20 - <30	Skin corrosion / irritation 2; H315 Serious eye damage / eye irritation 1; H318 Hazardous to the aquatic environment, long-term Hazard 2; H411	

# **Additional Information**

None



#### **SECTION 4: First Aid Measures**

#### **Description of First Aid Measures**

#### **General Information**

Consult a physician.

Show this Safety Data Sheet to the doctor in attendance.

#### **Following Inhalation**

If breathed in, move person into fresh air.

If breathed in high amounts, exposed person to keep warm and get medical attention.

If not breathing, give artificial respiration. Consult a physician.

#### **Following Skin Contact**

Wash thoroughly with soap and water

## **Following Eye Contact**

Immediately flush eyes with plenty of water for at least 15 minutes.

Get medical attention if irritation develops or persists.

# **Following Ingestion**

In the unlikely event of ingestion, obtain medical attention immediately.

#### Self-protection of the First Aider

Pay attention to self-protection.

#### **Notes for the Doctor**

Treats symptomatically.

Administer oxygen if necessary.

## Most Important Symptoms and Effects, both Acute and Delayed

No data available

## **Indication of Any Immediate Medical Attention and Special Treatment Needed**

No data available

# **SECTION 5: Firefighting Measures**

#### **Extinguishing Media:**

# Suitable Extinguishing Media

Shut off supply.

Use foam, water spray and water fog for major fires. Use dry chemical powder, carbon dioxide (CO2) fire extinguisher, sand or earth for minor fires.

If not possible and no risk to surroundings, let the fire burn itself out.

## **Unsuitable Extinguishing Media**

Do not use direct water jets on the burning product as they could cause a steam explosion and spread of the fire.

Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.

## Special Hazards Arising from the Substance or Mixture

Hazardous combustion products may include Carbon Dioxide (CO2) is released in the complete combustion process, and carbon monoxide (CO) is released in the case of incomplete combustion. Unidentified organic and inorganic compounds.

Contents are under pressure and can explode when exposed to heat or flames.

## Advice for Firefighters

Irregular people are removed from the danger zone and the zone is isolated and no entrances are allowed.



Positive pressure breathing apparatus (SCBA) and protective clothing provide limited protection. Wear fog and shielding lances, full protective clothing and self-contained breathing apparatus.

#### **Additional Information**

Keep adjacent containers cool by spraying with water.

Use only explosion proved equipment.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

Do not allow the quenching water into sewage systems.

#### SECTION 6: Accidental release measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

#### For Non-Emergency Personnel Use

personal protective equipment.

Ensure adequate ventilation.

## For Emergency Responders

Shut off leaks, if possible without personal risks.

Remove all possible sources of ignition in the surrounding area and evacuate all personnel.

Attempt to disperse the gas or to direct its flow to a safe location for example by using fog sprays.

Take precautionary measures against static discharge.

Ensure electrical continuity by bonding and grounding (earthing) all equipment.

Use appropriate containment to avoid environmental contamination.

Wear respiratory protection, eye protection, hand protection, and body protection. (Refer to protective measures listed in Section 7 & 8).

#### **Environmental Precautions**

Use appropriate containment to avoid environmental contamination.

Do not allow to enter into soil / subsoil.

Do not empty into drains or the aquatic environment.

## Methods and Material for Containment and Cleaning Up

#### **For Containment**

Ventilate the affected area.

Contain for disposal according to local / national regulations.

## For Cleaning Up

Allow to evaporate.

Attempt to disperse the vapor or to direct its flow to a safe location, for example by using fog sprays. Otherwise treat as for small spillage.

#### Other Information

Dispose of waste material according to local, state and federal regulations.

#### **Reference to Other Sections**

Dispose of contaminated material as waste in accordance with Section 13.

See Section 13.

# SECTION 7: Handling and Storage

# **Precautions for Safe Handling**

#### Recommendations

Personal Preventions

Avoid breathing vapors or contact with material.

Only use in well ventilated areas.

Wash thoroughly after handling.



Extinguish any naked flames. Do not smoke.

Remove ignition sources. Avoid sparks.

Avoid prolonged or repeated contact with skin.

Electrostatic charges may be generated during handling.

Electrostatic discharge may cause fire.

Earth all equipment.

Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.

Air-dry contaminated clothing in a well ventilated area before laundering.

Use local exhaust ventilation if there is risk of inhalation of vapors, mists or aerosols.

Use protective gloves during the tube filling process.

Fire Preventions

See Section 5.

**Environmental Precautions** 

Dispose of waste material according to local, state and federal regulations.

## Advice on General Occupational Hygiene

Use good occupational work practice.

Comply with the health and safety at work laws.

Remove contaminated clothing and protective equipment before entering eating areas.

## Conditions for Safe Storage, Including any Incompatibilities

Store only in purpose-designed, appropriately labeled equipments, containers or tanks.

Must be stored in a well-ventilated area, away from sunlight, ignition sources and other sources of heat.

Do not store near equipments containing compressed oxygen or other strong oxidizers.

It should not be entered into the storage tanks.

All storage containers must be grounded.

## **Advice on Common Storage**

Do not use any food containers – risk of mistake.

Containers have to be labeled clearly and permanently.

Store in the original container as much as possible.

Keep container tightly closed.

Protect from humidity and water.

Protect from exposure to the light.

Store in a cool place.

Store in a dry place.

Keep container in a well-ventilated place.

Do not store it near strong oxidizers.

# **Specific Precautions on Storage**

The substance should not be stored with strong oxidizing agents.

# Specific End Use(s)

Industrial uses.

Pumping Temperature : 55 °C / 131 °F Maximum Handling Temperature : 70 °C / 158 °F Maximum Storage Temperature : 45 °C / 113 °F Maximum Loading Temperature : 70 °C / 158 °F

# **SECTION 8: Exposure Controls/Personal Protection**

#### **Control Parameters**

Preventive industrial and medical examinations must be carried out according to the application area. Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

## **Occupational Exposure Limits**

No occupational exposure limits known.



## **Exposure Controls**

Adequate ventilation should be used during processing.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

## **Appropriate Engineering Controls:**

To prevent the formation of flammable mixtures in the air, systems should be installed to provide sufficient local and general ventilation in environments where product leaks may occur.

Ensure that the working environment is well ventilated and cleaned and that appropriate measures taken to avoid exceeding the occupational exposure limit values of the product.

Set up the air filtration system according to NIOSH<sup>4</sup> and CEN<sup>5</sup> systems in the required areas.

Make available sufficient washing facilities.

Provide eye shower and label its location conspicuously.

See Section 7.

#### Individual Protection Measures, such as Personal Protective Equipment

## **Eye / Face Protection**

Chemical splash goggles (gas-tight mono goggles) and face shield with chin guard.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).



#### Skin Protection

Hand Protection

Handle with gloves made by neoprene rubber or leather against cold burns.

Gloves must be inspected prior to use.

Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Other, Complete suit protecting against cold burns.

Chemical and cold resistant gloves / gauntlets, boots and apron.

Handle in accordance with good industrial hygiene and safety practice.

# R

# **Respiratory Protection**

It is not necessary under normal operating conditions.

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation.

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).



## **Thermal Hazards**

Special attention should be given to the construction of personal protective equipment when determining the protective equipment to be worn for thermal damaged materials.

# **Environmental Exposure Controls**

Legislation for the protection of the environment must be met in full.



# **SECTION 9: Physical and Chemical Properties**

#### Information on Basic Physical and Chemical Properties

Appearance : Brown oily liquid

Odor : Mild

Odor Threshold No data available На No data available Melting point / Freezing point : No data available Initial boiling point and boiling range : No data available Flash point COC Typical : ≥ 200 °C / 392 °F **Evaporation Rate** No data available : No data available Flammability (solid, gas) Upper / Lower flammability or explosive limits : No data available Vapor pressure : No data available Vapor density No data available Density @ 15 °C : 1,050 kg/m<sup>3</sup>

Solubility(ies) : Insoluble in water
Partition coefficient: n-octanol / water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity typical @ 100 °C : 128 mm²/s
Viscosity typical @ 40 °C : 972 mm²/s

Explosive properties : Material does not have explosive properties

Oxidizing properties : No data available Pour point :  $-15 \, ^{\circ}\text{C} \, / \, 5 \, ^{\circ}\text{F}$ 

**Other Information** 

Miscibility : No data available Fat Solubility : No data available Conductivity : No data available

Note: The above features were determined according to prescribed methods at the Classification, Packaging and Labeling of Hazardous. Substances Regulation Section A-3 or a method comparable to the other.

#### SECTION 10: Stability and Reactivity

#### Reactivity

Not expected

#### **Chemical Stability**

Stable under recommended storage and handling conditions. (See Section 7).

## **Possibility of Hazardous Reactions**

No, hazardous, exothermic polymerization cannot occur.

#### **Conditions to Avoid**

Heat, open flames, sparks and flammable atmospheres.

#### Incompatible Materials

Strong oxidizing agents (sodium peroxide, sodium chlorate, dichromate or chromates, fluorine, chlorine, bromine, chromic acid, nitric acid).

# **Hazardous Decomposition Products**

Hazardous decomposition products formed under fire conditions – Carbon Oxides.

# **SECTION 11: Toxicological Information**

## **Information on Toxicological Effects**

Information given is based on product data, a knowledge of the components and the toxicology of similar products.



## **Acute Toxicity**

Low toxicity by inhalation but nausea, dizziness, headache and dizziness may occur. In cases of exposure to high concentrations, loss of consciousness, severe muscle spasms and drowning as a result of oxygen deficiency, may occur.

#### **Skin Corrosion / Irritation**

No data available

## Serious Eye Damage / Irritation

No data available

## **Respiratory or Skin Sensitization**

Not sensitizing

#### **Germ Cell Mutagenicity**

No data available

## Carcinogenicity

IARC: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

## **Reproductive Toxicity**

No data available

#### **STOT-Single Exposure**

No data available

# **STOT-Repeated Exposure**

No data available

# **Aspiration Hazard**

No data available

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Allergic effects : No data available Effects on repeated doses : No data available

chronic exposures

Sensitization : Not sensitizing
Developmental Toxicity : No data available

(Teratogenicity)

Fertility : No data available

# Symptoms related to the physical, chemical and toxicological characteristics

In case of inhalation : No data available
In case of skin contact : Causes skin irritation
In case of eye contact : Causes serious eye damage

In case of ingestion : Ingestion of any chemical may be harmful to health

Target organ : No data available

## Other Information

Toxicological classifications are based on available knowledge and information.

The special effects to health are considered by taking into account the information in Section 3.

## **SECTION 12: Ecological Information**

#### **Toxicity**

Information given is based on product testing, and/or similar products, and/or components. Physical properties indicate that petroleum gases will rapidly volatilize from the aquatic environment and that acute and chronic effects would not be observed in practice.



**Persistence and Degradability** 

Decomposition potential of

the products

: No data available

The half-life of degradation Potential degradation of

product content in the evaluation of wastewater

No data available No data available

treatment plants

**Bio accumulative Potential** 

Biological environment (biota) accumulation

.

: Not expected to bio accumulate significantly

potential

potentiai

Potential – nutrients pass

through

No data available

Reference values – Log

Kow, Sw and BCF

No data available

**Mobility in Soil** 

Liquid

Insoluble in water Refer to eco toxicity

> Water threat class Clean water impact Known or predicted environmental

: No data available: No data available: No data available

environmental distribution

Results of PBT and vPvBAssessment

Biotic

Ready Biodegradability

Abiotic

: No data available

Hydrolysis as a function

of pH

: No data available

Photolysis : No data available Atmospheric oxidation : No data available

**Other Adverse Effects** 

See the Sections 6, 7, 13, 14 and 15.

Combustion products can cause global warming and photochemical ozone formation.

**SECTION 13: Disposal Considerations** 

**Waste Treatment Methods** 

Observe all federal, state, and local environmental regulations.

Do not try to eliminate waste and residues, for safe disposal; please contact AMAZON LUBRICANTS & GREASE LLC directly or through our dealers.

Prevent ground and underground waters, drinking water sources, standing and flowing water from mixing with sewerage.

**Contaminated Packaging** 

If there is product residue in the emptied container, follow directions for handling on the container's label. Contaminated packaging must be emptied of all residues and can be recycled following appropriate cleaning.

**Disposal Methods** 

Dispose of chemicals waste or in accordance with local regulations.

Follow all applicable local laws, rules and regulations regarding the proper disposal of this material.



If this product has been altered or contaminated with other hazardous materials, appropriate waste analysis may be necessary to determine proper method for disposal.

#### **European Waste Catalogue**

The final classification has to be done together with the local waste disposal company / authority.

## **SECTION 14: Transport Information**

	ADR <sup>6</sup> / RID <sup>7</sup>	ADNR	IMDG <sup>8</sup>	ICAO <sup>9</sup> / IATA <sup>10</sup>			
Transportation	Road	River	Marine	Airways			
Proper Shipping Name	The product is not dangerous under current provisions of the Code of International Carriage						
	of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime						
	Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.						
UN / ID No.	-	-	-	-			
Symbol	-	-	-	-			
Class	-	-	-	-			
Packaging Group	-	-	-	-			
Labelling No.	-	-	-	-			
Classification Code	-						
Hazard No. (HIN No.)	-						
EmS			-				
Marine Pollutant			NO				
Note for International Transportation Regulations: This product is not regulated as a hazardous material.							

# **SECTION 15: Regulatory Information**

# $Safety, Health \, and \, Environmental \, Regulations \, / \, Legislation \, Specific \, for \, the \, Substance \, or \, Mixture \, description \, and \, Substance \, or \, Mixture \, description \,$

Substance is found on the following regulatory lists;

"European Union – European Inventory of Existing Commercial Chemical Substances (EINECS) (English)"

## **Chemical Safety Assessment**

No data available

## Hazard

CLP classification according to Annex VI of CLP (Regulation (EC) No. 1272/2008)

Serious eye damage / eye irritation 1; H318

Skin corrosion / irritation 2; H315

Hazardous to the aquatic environment, long-term Hazard 3; H412

## **International Regulations**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 and COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 and ISO 11014:2009. This product is classified according to EU Directive GHS/CLP.

## SECTION 16: Other Information

#### Other Information

For additional information regarding AMAZON LUBRICANTS & GREASE LLC products, please contact AMAZON LUBRICANTS & GREASE LLC. The above information complies with the 1907/2006 Directive and its amendments.

In all cases of potential poisoning supportive therapy is of the utmost importance.



## **Revision Date, Version.**

Date : 20 Dec 2020

Version : 0.0

## Relevant H- and EUH- Phrases (number and fulltext) H315 -

Causes skin irritation

H318 - Causes serious eye damage

**H411** – Toxic to aquatic life with long-lasting effects

#### **Legal Disclaimer**

The purpose of the above information is to describe the products only in terms of health and safety requirements.

The information given should not, therefore, be construed as guaranteeing specific properties or as specification.

Customers should satisfy themselves as to the suitability and completeness of such information for their own particular use.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication.

The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.

The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. Due to the many factors outside our control when using this product, we cannot accept liability for any injury, accident, loss or damage caused through its use.

<sup>1</sup> SDS : Safety Data Sheet

<sup>2</sup> CLP : Classification Labeling and Packaging

<sup>3</sup> GHS : Global Harmonized System

<sup>4</sup> NIOSH : The National Institute for Occupational Safety and Health

<sup>5</sup> CEN : Commit European de Normalization

<sup>6</sup> ADR : European Agreement Concerning the International Carriage of Dangerous Goods by Road

<sup>7</sup>RID : Regulations Concerning the International Transport of Dangerous Goods by Rail

<sup>8</sup> IMDG : International Maritime Code for Dangerous Goods

<sup>9</sup> ICAO : International Civil Aviation Organization
 <sup>10</sup> IATA : International Air Transport Association